THE CEILING LIKE A PRO

From stained to spotless with no mess, no fuss

STEP BY STEP


Fast facelifts for furniture



Upgrade your DOCS

- How to install a jamb
- Fit a handle & hardware





APRIL ISSUE







Subscribe to Handyman ploo

This issue

9 HANDY STUFF

Give your house kerb appeal without breaking the bank

Home

- **14 LUXURY DESIGN**Create a haven around a bathtub
- 25 **DREAM BATHROOM**Plan ahead for a perfect reno
- **28 INSTALL A VANITY**Free up space in your bathroom
- **31 UPDATE YOUR KITCHEN**Revamp the hub of the home

Decorate


34 TIMELESS STYLE

Get beach-house decorating tips from an expert

42 FROM TRASH TO TREASURE

Turn cast-offs and garage sale finds into fabulous furnishings





Renovate

48 DOOR DECISIONS

Choose the right external and internal doors to suit your decor

52 EASY DOORWAY MAKEOVER

Replace a door and jamb to give a room a great new look

58 CEILING REFRESH

Repaint this large surface and add downlights and fans

62 HOW TO PAINT A CEILING

Get a top-quality finish every time with tips from a pro

Build

70 WALL OF BOOKS

Install French doors and shelves to open up a room and add storage

76 SUSPENSION SHELVES

Build sturdy shelving using pine and lengths of wire rope

81 READERS' PROJECTS

Take inspiration from the handiwork of these DIYers

Outdoor

90 TIMBER PLANTER

Make a self-watering raised bed

94 PLANT A HERB POT

Create a mini edible garden

Garden

101 PREPARE BEDS FOR WINTER VEG

Sow seeds for a bumper crop

106 POPPIES OF REMEMBRANCE

Commemorate the Anzac origins by raising iconic flowers at home

108 GROW ASIAN GREENS

Sow the seeds of leafy vegies now for a stir-fry garden in just weeks





IT'S EASIER WITH EASY SCREEN



All Easy Screen parts are purchased as separate elements so you can buy as required to suit any project. Use Easy Screen around decks for privacy, to conceal garbage bins, pool filters and pumps, water tanks, ac units, over windows for shade and airflow. Made from powder coated aluminium Easy Screens will stay looking like new for years to come.

Choose from 2 profiles: angled louver or flat slat and 3 standard colours, silver, black or woodtech.













OMORE INSPIRATION

Renovating the bathroom and need inspiration? Pinterest lets you create and organise boards of your favourite pictures. It's a great way to find and share ideas for your next DIY project.

Check out the
Handyman boards
at pinterest.com/
diyhandyman or
scan this code with
your phone.





EDITOR'S LETTER

he personality of any room can be changed completely by the style of the interior door. It's amazing what a difference it makes.

In this issue, there's a buyer's guide to new interior doors, on page 48, plus how to replace a damaged or worn-out door, on page 52, and install a handle in three easy steps, on page 56.

Preparing for winter

Autumn is upon us, so it's time to venture back into the vegie garden and get it ready for winter.

On page 101, we show you how to clear out beds, plus refresh and prepare the soil to sow seeds for winter crops.





Farewell Frank and Gun

This month, we're saying goodbye to Technical editor Frank Gardner and Technical subeditor Gun Arvidssen.

Frank has been at *Handyman* for 11 years, and the number of projects he's produced is phenomenal. His knowledge of everything from building to landscaping is second to none.

He is retiring to spend time with his lovely wife Janice. Luckily for us, he'll still be casting his keen eye over stories to ensure a continuation of the quality and accuracy of our projects.

Gun is going to work on other projects he has underway. He's been with us for five years and has created and subedited many projects with his incredible accuracy barometer in full focus. They've set the bar high for our team in future issues.

Happy DIYing,

MANAGING EDITOR
LEE DASHIELL

Handyman is ow facebook.

Get handy tips and DIY ideas every day







Go to facebook.com/HandymanMagazine and click 'Like' or scan the QR code above

ZEN BY Totara Marketing Hand crafted quality sinks



ZEN 800 800 x 500 x 200mm



ZEN 1080 1080 x 500 x 200mm



Made from high quality 1.2mm Stainless Steel
15mm radius bowls for easy cleaning
Easy to clean bevelled edge
Brushed satin finish
Reversible

For more information please contact: sales@totaramarketing.co.nz phone 09 274 4393



Handyman

EDITORIAL

EDITOR-IN-CHIEF SUE CARNEY
MANAGING EDITOR LEE DASHIELL
DEPUTY EDITOR ARTEMIS GOUROS
ART DIRECTOR KATE TIMMS
CHIEF SUBEDITOR AMANDA SHAW
TECHNICAL EDITOR FRANK GARDNER
TECHNICAL SUBEDITOR GUN ARVIDSSEN
SENIOR WRITER DANIEL BUTKOVICH
GRAPHIC DESIGNER CONNIE LEUNG
EDITORIAL COORDINATOR ASHLEIGH PERRIOTT
DIAGRAMS STEPHEN POLLITT
NEW ZEALAND EDITOR BRUCE SCOTT
T: 64 9 488 0862 E: bruce@regatta.co.nz

ADVERTISING

GROUP ADVERTISING DIRECTOR (ANZSA) **SHERON WHITE** T: 61 2 9018 6280 ADVERTISING SALES MANAGER **KRISTINA FROHLICH** T: 61 3 8844 5542 ADVERTISING MANAGER NEW ZEALAND **KERRY MCKENZIE** T: 64 9 589 1054 E: kerry@hawkhurst.co.nz

MARKETING

MAGAZINE MARKETING MANAGER GALA MECHKAUSKAYTE
WEBSITE MANAGER BRONWYN POVOLNY

PRODUCTION

PRODUCTION MANAGER BALAJI PARTHSARATHY T: 61 2 9018 6115

PUBLISHING

DIRECTORS WALTER BEYLEVELDT, LANCE CHRISTIE
PUBLISHER, MANAGING DIRECTOR WALTER BEYLEVELDT
OPERATIONS DIRECTOR ASIA PACIFIC ADINA GHERMAN

READER'S DIGEST ASSOC. INC.

PRESIDENT & CEO BONNIE KINTZER
VICE PRESIDENT & COO INTERNATIONAL BRIAN KENNEDY
EDITOR-IN-CHIEF INTERNATIONAL MAGAZINES RAIMO MOYSA
EDITOR-IN-CHIEF THE FAMILY HANDYMAN KEN COLLIER

NEW ZEALAND OFFICE

HANDYMAN MAGAZINE PO BOX 25679, ST HELIERS, AUCKLAND 1740

SUBSCRIPTION ENOUIRIES

T: 0800 400 060 E: customerservice@readersdigest.co.nz www.handymanmagazine.co.nz



PUBLISHED BY READER'S DIGEST (AUSTRALIA) PTY LTD

(ABN 81000565471) 80 BAY ST, ULTIMO, NSW 2007

© 2015 READER'S DIGEST (AUSTRALIA) PTY LTD

PREPRESS BY SINNOTT BROS

UNIT 7, 108-120 SILVERWATER ROAD, SILVERWATER NSW 2128

PRINTED BY TIMES PRINTERS PTE LTD, 16 TUAS AVE 5, SINGAPORE 639340

DISTRIBUTED BY GORDON & GOTCH



Handyman magazine is printed on PEFC-certified paper, providing an ascurance that the paper is produced from sustainably managed forest, recycled and controlled source.

All content ©2015 Reader's Digest (Australia) Pty Ltd, all rights reserved. Reproduction without permission is prohibited. All prices and information are correct at the time of printing. Prices quoted are recommended retail prices and may vary. All material sent to *Handyman* (whether solicited or not) will not be returned.

All do-it-yourself activities involve a degree of risk. Skills, materials, tools and site conditions vary widely. The editors have made every effort to ensure accuracy but the reader remains responsible for the selection and use of tools, materials and methods. Always obey local codes and laws, follow manufacturers' operating instructions and observe safety precautions.

Reader's Digest (Australia) Pty Limited collects your information to provide our products and services and may also use your information for the marketing purposes of RD and/or selected corporate partners. If the information is not provided you will be unable to access our products or services. Our Privacy Policy at www.readersdigest.com.au/privacy-policy contains full details on how your information is used (including how we may share your information with our affiliate companies in the US or other overseas entities), how you may access or correct information held and our privacy complaints process.






EVERY KIWI SHOULD HAVE A PAIR.

Available in Mens, Womens/Youth, Children and Junior sizes. www.redband.co.nz SKELLERUP RED BAND

FOR GENERATIONS



HardieGlaze™ Lining creates an easy-clean ceramic look on bathroom walls, in showers, laundries and on kitchen splashbacks. It's ideal for a minimalist, modern look and works beautifully with contemporary fittings.





















HardieGlaze™



KERB APPEAL

Bring the outside of your home back to life without breaking the budget

WORDS ASHLEIGH PERRIOTT




Colour pop

Add a splash of colour to the front porch with the bright red Moda Moderna Cache Pot, about \$7. This polypropylene planter is lightweight, looks great and measures 180 x 160 x 180mm. It's both UV and frost resistant. bunnings.co.nz

Mail it

Stand out in the street with the Sandleford Malibu Timber Panel Letterbox, \$299, from Bunnings. It has a newspaper slot, can take envelopes up to A4 in size and is easy to install.



Plan a pathway with WestStone Waterworn 30-50cm Schist Steppers, \$16 each (weststone.co.nz). With their neutral

colour palette, they can be used for entertaining areas, paths, courtyards and stepping stones for a timeless, weather-worn look.







Slick it on



Steel style

Bring the breeze inside and stay safe with the **Bastion Classic Screen** Door, \$215. Measuring 1980 x 860mm, it has a steel frame and a flyscreen to keep out pests, large and small. hartman.com.au



Put the final touch to your new fence with a MLC Deluxe Wooden Picket Gate, about \$178 (mlcgroup.co.nz). It's pre-nailed and ready to install, all you have to do is attach hinges and a latch. Suitable for painting, clear-coat sealing or an oiled finish, it's made of H3.2 treated pine and measures 1800 x 970mm.



Open up

doors.co.nz

Get both security and light in your home with the Hume Newington XN5 Entrance Door, about \$626 glazed. It's a solid construction door, but it allows light in through the four glass panels. You can either paint or stain the door.

style and security to your home. Pick it right Get creative with your fencing using MLC Colonial 900mm Fence Pickets, about \$3 each (mlcgroup.co.nz). They're made of pine treated to H3.2 specifications for long-lasting fences.

A new door or fence can add

Fence facelift

Bring an old fence back to life with **British Paints Fence** Finish, \$39 for 10L. The paint is water-based for an easy clean-up and can be used on sawn timber, pine pickets and lattice. britishpaints.co.nz






Lamp look

For a traditional style install an Arlec Colonial sensor that will detect movement up to 12m aw

arlec.com.au

In chime

You'll never leave your guests out in the cold with the Arlec Portable Remote Control Door Chime. \$37 (arlec.com.au). With no wiring required, it's easy to install and has



Bird watch

Give your visitors a bit of a hoot as well as help in finding their way up the path with the Solarise Morepork Solar Garden Light \$20. This cute bird stands 17cm high, is solar powered and doesn't need assembly. Just place it in the garden and it will light the way at night.

bunnings.co.nz

Boot scoot

No more fussing over muddy boots and shoes with the Arrow Mats Brush Step Mat, \$20 (arrowmats.co.nz). Measuring 60 x 40cm, it is specially designed to remove mud or other mess from footwear. The tough coir bristles and galvanised wire webbing make it durable and allow dirt to fall through, so it's easy to clean by shaking or hosing.



What's new

Check out our autumn collection of products that will help you get set for the cooler months ahead.






JUST LIKE THE REAL THING The look of real wood floors with the benefits of laminate. Harris Wood 13mm thick Bamboo Laminate Flooring is strand woven and simply clicks together. Rated residential. \$70/M².

LIGHTEN UP A DULL DAY Arlec Wled 230 LED Tripod Worklight. 2x 20W LED lamps for a powerful, energy saving worklight. 120 degrees light spread, adjustable head and 1.8m cord. IP44 water resistant. Unbeatable price. \$99.

YOU'D BE BATS NOT TO HAVE ONE Stand it. Hang it. Fold it. The go anywhere Click LED Batlight has 80 LED energy saving lights to give you a powerful worklight. \$29.98.







POWER UP YOUR WORKSHOP The Ryobi ONE+ system delivers the highest capacity DIY 18V battery in the market. 5.0Ah Lithium+ Battery Twin Pack. \$249.



STACKS OF STORAGE Connect two Tactic Toolboxes togeth of for easy storage. Comes with wheels for mobility, \$99.

Extend your outdoor season

Enjoy outdoor living a little longer with a wide choice of patio heaters to take the chill off those cooler autumn evenings.



JUMBUCK PATIO AREA HEATER

Durable powder-coated steel, tilt switch and flame failure device. \$199.



BRAZIER WITH GRILL PLATE

Doubles as both an open fire pit and BBQ grill. Includes fire bowl, legs, ash pan and charcoal grate. Not suitable for timber decking or other combustible surfaces. For outdoor use only. \$78.



MORE EFFICIENT HEATING Up to 8 times more efficient than equivalent oil column heaters, Dimplex Oil-Free Eco Column Heaters are available in 1kW and 2.4kW. \$78/\$147.

THE HEATSTRIP RANGE Warm up chilly late summer evenings with the economical Heatstrip range of outdoor heaters. These modern designs are suitable for all situations and are economical to run.



JUMBUCK OUTDOOR ELECTRIC

2000W QUARTZ HEATER

Simply pull the cord for 3 levels of heat.

Lamp life of 1000 hours. Includes wall

mounting bracket and stand. \$89.

OVERHEAD HEATERS Discreet, minimalist design with no glow. Avaliable in 3 sizes.1800W \$749, 2400W \$897, 3200W \$998.



2400W MAX INFRARED This high output radiant heater is hard to beat for hard to heat outdoor situations. \$978.



HEATER ACC CONTROL

Optional wall controller for the Heatstrip range of heaters features simple On/Off control with LED Indicator, temperature control and automatic timer. Suitable for controlling multiple heaters. \$249



IT'S HIP TO BE SQUARE

The Foreno Sprint Sink Mixer has the latest soft squared edge look, swivel spout and is Watermark and Codemark certified. Suitable for all water pressures above 35kpa. \$189.



CAST STONE FIRE PIT Features cast stone base, steel fire bowl, charcoal grid and poker. It also includes a dome shaped screen protector for improved safety. \$269.









Monochrome marvels

Give a freestanding tub a dramatic black feature wall as a backdrop.

White is commonly used in bathroom design as it makes a space appear clean and unblemished.

Contrasting white tiles and fixtures with black elements makes a statement that this is a modern and streamlined space.

Monochrome bathrooms have a timeless style and spa-like ambience.

A black-and-white scheme creates a clear canvas that allows the shapely lines of a bathtub to dominate. Using black in a bathroom is a bold decorating choice, so the key is to not let it overpower the space.

Keep the walls, fixtures and floor tiles white, limiting black to a feature wall, the shower recess or cabinets.

When designing a monochrome bathroom, abundant lighting is a must to prevent the space looking cold and inhospitable.

If no natural light is available, use bright downlights above the vanity and softer feature lights for the tub.







Lifting the lid on choosing a toilet

While they often look similar, many toilet suites don't deliver on what you actually need: ease-of-use combined with quality that lasts.

Caroma delivers on every count. By continually investing in toilet technology, Caroma is committed to developing toilets that are beautiful, always perform and are designed to last.

caroma.co.nz



Tested beyond Australian and New Zealand Standards



30 year life – tested to withstand 150,000 flushes



Unique drop-zone & bowl design minimises cleaning




This narrow wet room still manages to fit both a shower and bathtub.



See the full Mondella bathroom and kitchen range in-store at Bunnings Warehouse or visit the Bunnings Warehouse website bunnings.co.nz





The rustic look works very well in bathrooms in older homes. Warm white walls are offset by timber and other natural finishes and materials.

To perfect the country look, install a traditional clawfoot bath with old-fashioned tap fittings in the centre of the room.

If you can't fit a freestanding tub, create a peaceful space around a bath surround using quaint accessories.

While white is the dominant colour for the walls, dark tiles can create a striking monochrome effect. Lay black and white tiles in a pattern to further reinforce the style.

Timber is ideal for benchtops, and door and window frames. Use other natural materials like wicker for storage baskets or a clothes hamper.

Keep a country-style bathroom bright and cheerful with framed artwork and photos. Flowers, candles and towels will add functional decorations to the room.

Exposed beams add a wonderfully rustic touch.



White walls, rich timber and natural finishes are country-look essentials.



Choosing bathroom plants

Indoor plants that can tolerate low light and a moist environment, such as ferns, are ideal for bathrooms.







шшш.everloc.com.au

- Innovative Design
- Easy to Install
- Patented suction system
- Durable Stainless Steel & Polycarbonate
- Holds up to 15kg
- No tools required
- Designed in Australia





holding capacity*

*The weight rating applies to suction cups installed under ideal conditions and should be used as a guide only. The maximum weight bearing ability of this product will vary from surface to surface. This product is designed for use only as illustrated on front of packaging.

XPRESSIONS bathroom accessories



















Bring colour to a dark-tiled room using towels and accessories.

Accessories and storage

It's no use having a beautiful bathroom if it's always a mess, so any renovation must take your storage needs into account to keep the space tidy and organised.

A vanity cupboard with drawers or a medicine cabinet are the most common options, but there are lots of other solutions to bathroom storage.

Utilise vertical space by opting for a wall-hung vanity with shelves underneath. Line them with baskets for toiletries and towels, using bright colours for a modern look or natural fibres like wicker for a traditional feel.

Spare towels can also be folded or rolled and tucked into pigeon holes.

Trolleys on castors are a sleek solution for decorative items and have the added bonus of being portable.

For soap and toothbrushes, you can maintain the minimalist look by attaching metal holders to the wall with suction cups or adhesive.



Everloc Solutions Dental Station, \$35. everloc.com.au



Everloc Solutions Toilet Roll Holder, \$50.



Wouldn't it be nice to have a bathroom all to yourself? A UK online bathroom retailer has conducted research to discover just what men and women really want in a dream bathroom. The guys wanted gadgets, glass walls and neon lights, plus a sunken bath from which to watch the multimedia plasma TV. The girls were after a more classically styled and relaxing space with a freestanding bathtub and walk-through rain shower.





Here's another thing people often ask about Showerdome

Q

"Where does all the steam go?"

A

"That's an easy one.
There isn't any!"

Steam is only created when you mix warm moist air, with cold air.

Showerdome is the barrier between those two air masses, which means no steam in your shower, or your bathroom.



For a drier, warmer, healthier home, insist on Showerdome.



0800 541 2233 / www.showerdome.co.nz

ALSO AVAILBLE FROM









REJUVENATE YOUR BATHROOM



Also available...



Flo Shower Mixer EF03 RRP\$99



Flo Basin Mixer EFO2 RRP\$82



Also available...



Sprint Shower Mixer SPN03 RRP\$129



Sprint Basin Mixer SPN02 RRP\$159





Dream bathroom

Start your renovation with a solid plan to get the designer space you've always wanted

great way to make a home more liveable and add value is to renovate the bathroom.

Designing it DIY makes your money go further, leaving extra room in the budget for luxury fixtures.

Take time to plan your renovation to avoid having to remodel again a few

years down the track. Decide what features you need and think about future lifestyle or family change.

Measure the space and design the bathroom on paper, experimenting with different layouts. Keep in mind that using existing plumbing will reduce overall renovation costs. If space is an issue, prioritise the changes that make the biggest impact, both practically and visually, and think about storage and natural light.

Adding a shower or bathtub can transform the room, but be sure about your decision, as the money and space can be used for other features.





Set your budget

Once you have a layout on paper, work out the cost of a full renovation compared to a cosmetic update and determine what you can afford.

If your bathroom has good bones, you can make an instant impact by replacing the vanity and fittings.

Estimate how much you can save with DIY and decide what you'll need a tradie for. Remember, all plumbing and most electrical work must be done by a qualified professional.

Focus on quality

To get the most value and the biggest impact from your reno, choose the best quality products you can afford to get a designer look and maintain that wow factor for years to come.

Throughout the reno, take a step back and look at the project as a whole to make sure you're happy. Changes made early on will cost much less than once the renovation is complete.





Now any room can be a bathroom.

Saniflo gives you the flexibility to create a bathroom anywhere in your home without any major plumbing work. Saniflo macerator pumps are easy to install and can pump up to 5 meters vertically. A simple and cost effective way to turn your dream bathroom into reality.

Call 09 624 3977 or visit saniflo.co.nz



Sanislim dimensions Unit: W 447mm H 270mm D 131mm. Outlet diameter: 20mm.





Yes. You can.





Install a compact bathroom vanity

Use floating storage to make the most of limited space



floating vanity is installed on the wall to free up floor space in a small bathroom. Buying a pre-assembled frame makes it easy for the DIYer to update the bathroom while saving money.

Buy the tapware, basin, mirror and accessories separately, and arrange for a plumber to connect the services and install the tap.

The benchtop can be attached to the cabinet using Selleys Liquid Nails.

Ensure that sufficient time is allowed for the adhesive to cure before attaching plumbing fixtures.

TIP Lightly mark the centre of the benchtop under the front edge to ensure it is sitting centred.

Easy to hang ▼

Conciso vanities, available at Bunnings, come fully assembled and need only metal brackets to be attached for easy hanging.



Two adjustable brackets are pre-fitted on the cabinet casing.



The cabinet brackets slip into two brackets fixed to the wall.



Use a stud finder to locate the wall studs before fixing the brackets.



Cabinet installation

• LOCATE THE WALL STUDS then measure up 755mm from the floor and mark a line indicating where the bottom of the two wall brackets will be positioned.

2 SECURE EACH WALL BRACKET using the three screws provided. For a masonry wall, drill holes with a masonry bit and fit plastic wall plugs before securing the cabinet.

3 POSITION THE TWO BRACKETS that are pre-fitted on the back of the cabinet to match the position of the two wall brackets. Carefully hang the cabinet on the wall brackets.



The Imola Range from Conciso is an essential addition to any home. Wall- and floor-mounted models allow you to choose the ideal setpiece for your bathroom, and with six colours to choose from (high-gloss white and five woodgrain Melteca Colours), you'll be able to suit any décor.

All products in the Imola Range feature a ceramic top with

overflow and premium-quality smooth edging, resistant to chipping and scratching. Vacuum form PVC foil also helps to minimize moisture infiltration — so your bathroom will stay looking great for longer.

Just ask for **"Conciso Bathroomwares"** at your local Bunnings.









itching an outdated kitchen that's just not working for your family is as easy as replacing a tired, old benchtop or cabinets to bring it back to life.

Adding a kitchen island is a great idea, as it increases bench space, provides more storage options and creates a communal space.

Timeless elegance

Going with a neutral theme for pricey, fixed elements in a kitchen such as benchtops and cabinets gives you greater flexibility in style choices.

A neutral scheme makes it easy to create any type of look, from country to contemporary, and it won't scare off buyers if you ever want to sell.



Kaboodle Infusion 1200mm Island Back Panel, about \$308. kaboodle.co.nz

Kaboodle 16mm Grip Knob Handle, \$4.



Alfresco living

Creating a home with a seamless transition between indoor and outdoor living spaces is an entertainer's dream, especially if you go one step further and also extend the kitchen.


If installed under shelter and protected from the elements, kitchen cabinetry can be used outside.

On a covered deck or verandah, partner frosted glass cabinet doors with stainless steel, installing another sink in a large benchtop, and adding a bar fridge.

In the main kitchen, stacked slimline wall cabinets double storage space and have a minimalist aesthetic. Include lots of deep drawers with subtle handles in the base cabinetry.



Create an outdoor kitchen with Kaboodle 300mm Frosted Glass Doors, starting from about \$76 for a 300mm door, and Kaboodle 2400 x 600 x 35mm Bamboo Benchtop, \$599.





























Open house

Step up onto this alfresco lounge area, where the wood decking has been left untreated to age gracefully from exposure to the elements.

Overhead, a canopy is created from lengths of tree trunk that produce delightful shadows over the space, depending on the time of day and angle of the sun.

An ornate day bed beckons you to take an afternoon snooze. The carved wooden frame is suggestive of Balinese artisan markets where you might find one-of-a-kind treasures.

A bold splash of green on the inside of one shutter door breaks up any formality in the architecture of this building. Shutters help control ventilation and light into the home.

Seek out homewares and furnishings with an organic influence. Here, a green chevron-stripe pattern and palm-leaf motif add to the feeling of a tropical oasis. >

The circular design on the cushion,

created with stitched-on sticks, mimics the low-hanging pendant.

Create an organic space with green accents and timber that invites you to relax under the bright blue sky.

British Paints®



4 Seasons®

Built to last with a 25 year guarantee*.

Peace of mind thanks to Initial Rain Barrier.

Ultra Protection for your home.



UltraProtect

Protection against MOULD • MILDEW • BACTERIA YEAR
GUARANTEE*
against peeling,
blistering & flaking

Initial rain barrier
Protection from unexpected

light rain on day of application

Available at SUNNINGS warehouse



Decorate a rustic timber sideboard simply with oversized shells and greenery under a glass cloche.

WHEN LESS Standard Cartridge 230mm MONARCH MONARCH MONARCH MONARCH Mini Cartridge 153mm SILICONE y Flexible rproof Sealant & Outdoor Use Crack Resistant MOULD RESISTAN **QUICK SE** & Outdoor Use HIGH FLE STRONG BO MOULD RESISTAN



SMART.FAST.EASY™

MONARCH MINI is a brand new innovative range of sealants, fillers, adhesives & accessories.

The **MONARCH MINI**'s unique compact size sealant cartridge features a shorter length and smaller diameter making it easier to control and apply material. The perfect sized cartridge means having the right amount for your project and less waste.

- ✓ EASY TO USE
- ✓ LESS WASTE
- ✓ PREMIUM QUALITY







Island dreaming

This room just begs you to take an afternoon siesta, don't you think? The light wood tones and vivid yet soothing greens all add to the inviting feel.

A mosquito net over the bed creates a heavenly canopy, cascading onto a variety of soft linens.

The bed frame
is impressive in scale,
and the intricate
carved wooden
tile feature and
whitewashed tone add to
its hand-crafted appearance.

Just the inclusion of one cushion displaying a palm tree motif instantly transports the dreamy setting to a far-flung island. Taupe linens brought into the scheme balance the brighter colours.

TIM NEVE

A chandelier of wooden shards floats over the space, as if in homage to sea life. You could imagine it moving in the late afternoon coastal breeze, bringing refreshing coolness to the balmy evening.

Sliding louvre doors are highly functional, creating privacy when closed, while allowing cooling sea breezes in through the panels.

A bamboo cloche is hung by knotted rope as a temporary bedside pendant.

The real purpose of such an item is to cover and protect delicate plant life, so it is ideal in this green-toned scheme.



This edited extract is from Sandcastles: Interiors Inspired by the Coast by Tim Neve (Murdoch Books, about \$54).

New

A drier, warmer, healthier home for a fraction of the cost



Unovent® is an effective, easy to install, Home Ventilation System that costs up to 75% less than other systems.

The Unovent system draws dry air from the roof space, reducing window condensation and moisture build-up in drapes, carpet and furniture - which in turn prevents rot, mould & mildew from forming (major causes of asthma & allergies). Unovent is simple to install (just like installing down-lights) is whisper-quiet, and with a running cost of less than \$1 per month... A dry, warm & healthy home has just become affordable.



0800 2 UNOVENT (0800 286 683) email: info@unovent.co.nz www.unovent.co.nz

FROM TRASH TO TREASURE

Scour council clean-ups, garage sales and op-shops for hidden gems to upcycle

PROJECTS TRACY MARYON AND AMANDA SHAW

ar too much stuff is thrown away nowadays and takes up valuable space in landfill, so it makes sense to recycle what you can.

So before you cast off those items because they're looking a bit worse for wear, think again, as they can easily be given a new lease of life.

It'll save you money, too, because you won't have to replace them.

Need a new picnic hamper? Then get down that old wicker basket that's been gathering dust on the top of the kitchen cupboards and do it up.

Want a chair for the balcony? Dig out the tired-looking one that's been lying around in the garage forever.

Or consider checking out garage sales, markets, council clean-ups and op-shops for easy-to-revamp items.

This basket and folding chair were roadside finds. All it took to upcycle them was a quick wash and spray.

Rust-Oleum 2X Ultra Cover Paint + Primer in Key Lime was used for the basket and Brilliant Blue for the chair. TIP When you're spraying, work in a well-ventilated area or outside on a still day and put down drop sheets.





Table rescue

This cane table was in a sorry state when it was salvaged from a heap of sodden furniture on a roadside berm.

The paint had peeled off and it was covered with cracks and divots. The wicker around the legs was missing in places and the original top had been replaced with unsightly Perspex.

It almost looked beyond saving, but after a hose down, the damaged sections were filled and sanded, the missing wicker was replaced and the table was then primed and sprayed.

For a decorative finish, the top was covered with leftover wallpaper.

The cane magazine rack was a \$5 charity shop find and was simply sprayed the same colour as the table.



Dulux 1 Step Prepcoat Primer, Sealer & Undercoat, \$46 for 1L. dulux.co.nz



Prepare the table Wash the table with warm soapy with timber filler and sand smooth all over with 180 grit abrasive paper.

water and let it dry. Repair any damage Remove the wicker wrapping from the base of the legs and use it to replace the missing wicker at the top by rewinding, then securing using a hot glue gun.





Apply the paint Using a paintbrush, apply two coats of primer to ensure good coverage of the Perspex top and any damaged areas. Spray with two coats of paint, allowing it to dry completely in between coats.

TIP We used Rust-Oleum 2X Ultra Cover Paint + Primer in Ivory.



Decorate the top

Measure the diameter of the top from the edge of the recessed section, then make a template. Cut a piece of wallpaper to size, lay it pattern-side down on a flat surface and put the template on top. Draw around it with a pencil, cut out the wallpaper circle and secure using wallpaper paste.



Armchair refresh

When spraying wicker, it's worth investing in a spray gun because it's easier and quicker, plus you'll get a better finish.

And it's bound to be used again, as you're sure to catch the recycling bug.

This chair cost \$20 at a garage sale, and all it took to spruce it up was a hose down, a coat of primer and a topcoat.

We chose a creamy shade to complement the new cushion covers.

The foam inserts from the old cushions were used as templates. The fabric was measured and cut, then the pieces sewn together, leaving the backs open. The foam was inserted into the covers and the backs were stitched closed.





3+1 pack promo-buy 3 pack get extra blade FREE




Innovation & Quality

The SMART brand is synonymous with innovation. Specialising in powertool accessories that push past the status quo and overcome the challenges of the construction, renovation and DIY applications with more and more innovative products every day, so we can saw without a doubt - "innovative solutions" The 3 most important words with SMART are quality, quality and quality. Products that only meet our stringent quality controls and functionality tests are included in the SMART range. Manufactured at various locations, in Europe and the U.S.A.

32mm Right Angle

Cobra Blade



A first amongst multi-tool blades, a bi-metal right angle blade with a 25mm depth of cut. Set at right angles, an excellent blade for cutting flooring underneath cabinets and many awkward places. Suitable for cutting wood with nails.

Cutting depth: 25mm Blade width: 63mm Depth of cut: 42mm 63mm Wide

Japanese Tooth

Maximum cutting speed is achieved thanks to the double-row tooth pattern. This tooth pattern with its longer teeth allows you to start cutting from a precise point by standing the blade on its corner and lowering it into the timber. Ideal width for creating long flat horizntal cuts e.g.: Door jambs and skirting boards. Great for general purpose timber, general timber cutting and finishing work.

Blade width: 63mm Depth of cut: 42mm



44mm Bi-Metal Blade Nail Buster Extreme

The LEGENDARY Titanium enhanced "NAIL BUSTER EXTREME" won't let you down!! Renowned for its ability to cut virtually everything, it's your Multi-Tool's ultimate companion GET YOURS TODAY!!!














Internal doors

An easy way to spruce up a room is to install a new door. The original internal ones can be quite ordinary, and replacing them with modern or classic doors can instantly improve the look of the house.

Timber doors provide an interesting texture that breaks up plain walls. They work equally well for old and new homes, with designs to suit any space.

Hume Doors has a large range of European-inspired internal and external doors (doors.co.nz).











adoorable style by Hume

EASY DOORWAY MAKEOVER

Replace an old internal door and give the entrance to a room a bright new look

PROJECT JOHN BOWLER MAIN PICTURE STUART SCOTT

here are lots of reasons you may need to hang a new internal door at your place.
A major renovation can change the layout of a home while building an extension can add doorways, creating the need for new doors.

Replacing old or mismatched doors is also an easy and affordable way to instantly refresh interior spaces, particularly if you're painting walls or updating floors.

Hanging a new door, including making the jamb and fitting the hardware, is a simple DIY project that can be completed in just one day.

Prehung doors with jambs are available, but buying a door and the jamb framing separately offers a greater variety of sizes and styles. If you're installing a new jamb as well as a door, you will need to check the doorway studs for plumb, then measure the size of the opening to determine the door size.

For this project, we installed a hollow-core door and separate jamb.

Hollow-core internal doors have additional blocking inside one edge, identified by a sticker that marks where the lockset should be installed.



EDL 100mm Fixed Pin Zinc Plated Butt Hinge, about \$5. edlfast.co.nz



 FASTENERS	
TYPE	USE
Timber screws, 20mm x 8g	Hinges
Timber screws, 50mm x 8g	Jamb
Bullethead nails, 65 x 3.25mm	Jamb
Bullethead brads, 40 x 2mm	Architrave



♥ Install a door and jamb



Make the jamb

Cut two stiles equal to the height of the door, plus 20mm clearance, and a head piece the width of the door, plus 46mm for two gaps and two stiles. Cut a housing to the rebate depth at each end of the head. Chisel out the waste.



Set out the hinges

Mark hinge locations on the door, 200mm from the top and 250mm from the base. Transfer the locations to the stile, tracing around a hinge to mark each recess. Use a combination square to mark the depth of the recess.



7 Cut the hinge recesses

Mark the hinge recesses on the edge of the door 2mm narrower than on the jamb to stop the door from binding on the jamb. Use a sharp chisel to make relief cuts to the depth of each recess, then pare out the waste.



Attach the hinges

With the hinge in the door recess, drill a pilot hole towards the back of the hinge hole so the screw will pull the leaf tightly into the recess. Secure the hinge with a screw, check the clearance, then drive in the remaining screws.



Assemble the jamb

On a pair of level sawhorses, assemble the jamb around the door and drill clearance holes through the head. Drill pilot holes into the stile ends and secure with screws, then check that the door opens smoothly.



Prepare the opening

Secure packers in the opening at the hinge locations, and equally spaced above and below, to correct for any studs that are out of plumb. Use a long spirit level to check for alignment and to ensure the top gap is consistent.




7 Secure the jamb

Position the jamb and align the hinge side with the wall cladding. Drive a single nail at the top packer, using a spirit level to plumb the jamb. Secure with nails through the packers, punching the heads below the surface.



O Pack the lock side

Align the lock side of the jamb, using wedges to create a 3mm gap around the door. Attach the jamb with one nail, then close the door and check the gap. Move the wedges in or out to adjust, then secure the jamb with nails.



Add the architrave

Set the architrave 5mm back from the inside jamb face. Cut left and right architraves with mitred tops, securing with brads. Mark the head piece from the gap and cut to size, attaching with PVA adhesive and brads.

ENHANCE YOUR ENTRANCE AND STRENGTHEN YOUR SECURITY



Never before has electronic security been so convenient and affordable!





3 SIMPLE WAYS TO UNLOCK

- Press any button on your remote (1317)
- Enter a pin code on the keypad
- Use your conventional key



3 SIMPLE WAYS TO LOCK

- Press any button on your remote (1317)
- Press padlock button
- Use your conventional key.



Product Code: 1317-BN Description: Electronic Keypad Deadbolt Lock and Remote

Finish: Brushed Nickel

Battery: Long life battery included

Key: Includes x 2

Bunnings Price: \$286.34 Bunnings Sku: 00248784





EASY Installation

- Easily retrofits over standard deadbolt holes
- Easy DIY installation, long-life battery power, no wiring required
- 110mm minimum style width recommended
- Suit 38-50mm door thicknesses
- Adjustable 60 or 70mm backset





Product Code: 1319-BN Description: Electronic Keypad

Deadbolt Lock

Finish: Brushed Nickel

Battery: Long life battery included

Key: Includes x 2

Bunnings Price: \$221.46 Bunnings Sku: 00248787

- · No keys required
- · Convenient and smart electronic security
- · Brushed Nickel finish to match modern décor and Stainless Steel hardware
- · High security deadbolt with anti-saw protection
- · Common C4 profile for easy rekeying to the rest of your house.
- · Autolock Option

SUPERIOR SERVICE, **SOLUTIONS & STYLE** IN ARCHITECTURAL **HARDWARE**

windsorbrass.co.nz


VISIT YOUR LOCAL BUNNINGS STORE TODAY TO GET YOURS!

Fit a door handle Y


After installing a new door, you will need to fit a latch and handle, collectively called door furniture. Whether you choose a passage set, or a privacy set with a locking function, it will normally include instructions and a fitting template.



Drill the holes
Fold the template around the edge of the door to mark the hole locations. Use a spade bit to drill the 25mm latch hole, a twist bit for the 6mm rosette holes and a holesaw to bore the 35mm spindle hole.



Install the latch
Insert the latch and mark around
the face plate, then chisel out a recess
so it sits flush. Secure the latch, mark
where it strikes the jamb and drill a
corresponding 25mm hole. Chisel out
a recess for the strike plate as before.



Attach the handle
Install the strike plate, then
insert the spindle through the door.
Put the handles on the spindle, attach
the rosettes using machine screws,
then tighten the grub screws in the
handles. Replace the rosette covers.






Sylvan Denver Passage Lever Set, about \$27. sylvan.co.nz



Schlage FE595 with Elan Lever, \$315. allegion.co.nz



Lockwood Velocity Privacy Set Spire Lever, about \$44. assaabloy.co.nz



Windsor Belmont Lever Latch, \$96 for two. windsorbrass.co.nz



Irwin Door Lock Installation Kit, about \$25. irwintools.co.nz



Your front door is more than just a secured entrance, it's also a showpiece - one of the first things a guest sees. That's why it's important to choose the right handleset. Schlage offers a wide variety of designs and finishes, from angular to flowing, classic to contemporary, all designed to ensure that your front door is the perfect introduction to your home.



Welcome style.



Ceiling refresh

Spruce up the largest surface in the room by repainting and adding new downlights and fans

WORDS LEE DASHIELL MAIN PICTURE GEOFF BECK



he ceiling in this 1980s house was showing its age and, during winter, a few of the glass panels around the fire in the living area were broken. This allowed smoke to escape and rise to the ceiling, which created sooty stains.

Halogen downlights were installed when the house was built and many weren't working. There was constant upkeep required replacing bulbs, not to mention ongoing costs.

Also, the ceiling in this living space was already fairly low and the timber and brass fans visually made it appear even lower.





Remove the stains

Scrub the smoke stains on the ceiling with a long-handled brush using white vinegar, then sugar soap, to cut the grease in the soot and remove the worst of the stains.



Prepare the ceiling
Have an electrician remove the lights and fans, then repair any holes with plaster. Apply a coat of stain blocker with a roller to prevent residual stains leaching through to the topcoat.



Install new fittings
Apply 2-3 coats of good-quality
ceiling paint over the stain blocker
with a roller. Have an electrician install
LED downlights and modern white
ceiling fans to update the room.

LED vs halogen lights

Electricity bills are one of the biggest household expenses, after the rent or mortgage. And surprisingly, lighting contributes to about 30% of that bill.

There is a significant difference in energy consumption between different types of lighting. This is measured in kilowatt-hours (kWh), with 1kWh being equal to a 1000W electrical appliance running for one hour.

LED bulbs have a power rating of 7-20W while halogen bulbs are rated anywhere from 35-500W. Halogens can use nine times the power to create the same amount of light.

In a house with 20 downlights,

over five years, the electricity bill for halogens alone would be about \$4000 while LEDs would cost about \$750. **HALOGEN BULBS** run electricity through a filament, which heats up and creates light. Ninety percent of the electricity used creates the heat while 10% creates light, making them less efficient than LED bulbs.

LED BULBS use small semiconductors rather than filaments to produce light. Eighty five percent of the energy is used to create light, so they stay cool and contribute less to household heat. LIFE SPAN is also an important consideration, as halogen bulbs can last up to 2000 hours while LED bulbs have a life span of up to 50,000 hours. This means an LED bulb could last 25 times longer than a halogen one.



What you need

Restore a dingy ceiling by cleaning off stains, then painting it with stain blocker and ceiling paint. Replace any dated fans with new white models to create a sense of space and install energy-efficient LED downlights.



Zinsser Odorless Stain Blocker, \$119 for 3.75L. haydn.co.nz



Dulux Light & Space Ceiling, \$160 for 10L. dulux.co.nz



Arlec 140cm Aluminium High Velocity Three-blade Ceiling Fan, \$129. arlec.com.au



Philips 8W Warm White LED Dimmable Downlight, \$60. philips.co.nz

Philips bathroom lighting



Inspired by the beauty of water, the Philips Aquafit collection turns your bathroom into a rejuvenating experience.

You'll find bright task and general lighting imbued with style and functionality, protected by an anti-corrosive layer and coated with elegant finishes.

Apply make-up or shave effortlessly with tasteful task lights placed around your mirror. Or create a soothing ambience with basic illumination from our ceiling lights.

The range is specifically designed to be water-resistant in a wet and humid environment, without compromising on brightness or style. It is made from premium materials with high care for aesthetics, details and forms, and follows the most stringent international safety standards.

Total peace of mind. In your oasis of calm.







Get a professional finish when painting one of the trickiest surfaces in a home

hey're usually much larger than a single wall and are often illuminated with raking light that accentuates even the smallest flaws, which means ceilings present some unique painting challenges.

Add to that the difficult task of working overhead and things can get messy in a hurry, so we've grilled a pro to help you get the best result.

Bill Nunn owns a company that specialises in painting older houses.

We've called on his 35 years of experience in the business to find out the best ways to paint a ceiling, so you get a top-quality finish every time.







Use a good primer
Roof leaks, overflowing sinks
and tobacco smoke can all
leave ugly stains that are hard
to conceal with regular ceiling paint.

Apply stain-blocking primer to cover any stubborn ceiling marks. Try Zinnser Smart Prime, which is formulated for this

purpose and water-based for easy application.

Zinsser Smart Prime, \$119 for 3.78L. haydn.co.nz





Cut in and then roll
Use a paintbrush to cut in
at the edges of square-set
ceilings. Doing this before you
roll means the majority of the brush
marks will be covered with the roller.

Carefully brush paint along the edge of the ceiling in 3m sections, then roll that section. This keeps the cut-in section wet until you roll, which allows the paint to blend in better.

Bill says it's also less boring to alternate between cutting in and rolling, making the task of painting a whole ceiling less tedious.





Purchase ceiling paint
As a general rule, you will achieve the best result by using paint that's specially formulated for ceiling application.

You need paint that doesn't spatter, dries slowly and is flat rather than glossy. Premium ceiling paints have added pigments to make the ceiling look brighter.

British Paint

They can also be tinted if you don't want to stick to a white ceiling.

British Paints White Ceiling Paint, \$49 for 4L. britishpaints.co.nz



Overlap the edges onto the walls
If you also plan on painting the walls, overlap the paint onto them a little bit when cutting in.
Then when you paint the walls, you will cover the overlap as you cut in to the ceiling at the top of the walls.

Some painters like to skip the overlapping and cutting-in steps and save time by mashing the roller into the corners instead.

Bill doesn't recommend this method as it's sloppy, builds up excess paint in the corners and can leave runs or a thick paint line on the wall.







Opt for simple accessories
When it comes to painting equipment,
Bill prefers low-tech solutions.

You can buy extendable paint poles, but he suggests using simple timber broom handles with a thread because they are light, inexpensive and will get the job done.

Use a thick roller cover
Lambswool covers are the key to a good finish, and while more expensive, they're easy to clean and can be re-used.

They are ideal for getting as much paint on the ceiling as possible in a short amount of time while minimising spatters.



LAMBSW00L ROLLER



SYNTHETIC ROLLER



Go gently on textured ceilings
Painting a textured ceiling is tricky. If it has never been painted, the water in the paint can loosen the texture and cause it to fall off. Ceilings that have been painted are probably safe.

Try rolling paint onto a small section first and if the texture becomes

loose, painting the ceiling is risky and the necessary repairs will need to be carried out before painting.

Bill says the best tip for rolling on paint is to avoid overworking it. If the ceiling needs a second coat, wait for the first one to dry completely, then roll another perpendicular to the first. TIP If possible, spray on the paint, as it's less likely to loosen the texture.

TO A PERFECT FINISH!



WALL OF BOOKS

Transform an outdated space with French doors flanked by shelves

PROJECT DAVID RYAN WORDS FRANK GARDNER MAIN PICTURE GEOFF BECK

he best home layouts use space efficiently and provide plenty of storage. In this home, an unused fireplace and a 1970s-style timber panelled wall made the room look dated.

It was opened up by cutting a hole in the wall to install French doors, allowing natural light to enter the room and giving access to the garden.

Floor-to-ceiling shelves were then installed on either side of the doors to display books and ornaments, and provide storage for CDs and DVDs.

An overhead shelf completes the installation and gives the French doors a sense of depth with the bookcases painted to match.

The bookcases are built from MDF and trimmed with ribbed edging.

The measurements are easily adapted to suit the dimensions of any space around a door, as the simple design consists of two bookcases with an extra shelf mounted overhead.

The sides of the bookcase boxes are two layers of 18mm thick MDF, with

the overhead shelf supported between them on the doorway cover panels.

To ensure stability, secure the bookcases to the wall studs. Mark the stud positions on the walls, then transfer the locations to the bookcase battens. Drive screws through the top and centre battens into the wall studs.

Cut the parts using a circular saw and straightedge guide or have them cut by the supplier for a small fee.


Secure the shelf

Once the bookcases are built and secured in position, cut the overhead shelf to fit between them, supported on the shorter cover panels.


Secure the shelf with screws driven from inside the bookcases, then attach the overhead shelf sides using adhesive and screws. To finish, give the bookcases a built-in look by cladding the baseboards with skirting.

Cover the gaps between the bookcases and the ceiling using the same profile of moulding and mitre the corners to fit.






© Build the bookcases



Mark the shelf positions
Position two sides face to face with all edges flush. Mark the shelf hole heights across the front edges, then square the lines across the inside faces. Set a combination square to 50mm and use it to mark the shelf pin centres, then repeat for the mullions.



Drill the shelf pin holes
Use a 5mm brad point bit to drill
10mm deep shelf pin holes at the
intersections of the marked lines,
using a depth collar or masking tape
on the bit to ensure accuracy.
TIP Drill the shelf pin holes the
whole way through the mullions.



Assemble the bookcases
Create a rounded profile on
the front edges of the shelves using
a router with a 6mm roundover bit.
Position the top, base and fixed
shelves between the sides, securing
with interior PVA adhesive and
screws through the pilot holes.




Secure the baseboards
Use adhesive and screws to
secure the baseboards flush with
the front edge of the bookcase base.
Position the mullions between the
bookcase base and fixed shelf and
the bookcase top and fixed shelf,
securing with adhesive and screws.



Secure the battens using screws, then attach the cover panels with screws driven from inside. Turn over the bookcases and use screws to attach the back panels to the top, sides, fixed shelves and mullions, working down one side, then across the top.



Add the trim
With the bookcases in position,
drill pilot holes through the battens to
secure them to the studs. Use adhesive
to secure the skirting and cornice. Cut
the trim to fit, apply PVA to the front
edges of the sides and mullions, then
tape the trim in position until dry.



Build durable furniture

For projects such as bookcases to look great and stand the test of time, it's crucial to cut the materials accurately and assemble the pieces using strong joints and appropriate fasteners.

To cut sheet materials accurately and reliably with a circular saw, use the factory edge of an 18mm sheet of MDF as a cutting guide.

Cut a strip about 150mm wide and measure the offset distance from the inside edge of the circular saw base plate to the outer face of the blade.


Clamp the MDF strip this distance away from the cut line and run the circular saw along the factory edge.

The simplest way to secure the fixed shelf is to use adhesive and screws, but for added strength, or to build a bookcase without adjustable shelves, use one of the methods below.




Secure fixed shelves Y

A bookcase should have at least one fixed shelf to add structural strength and rigidity, allowing the remaining shelves to be supported on adjustable shelf pins. The most popular ways to secure them are using a housing joint, a cleat or biscuits.




HOUSING JOINTS utilise a groove cut to one-third the thickness of the timber, generally using a router. This joint is strongest when secured with screws that pull the shelf into the joint, as adhesive does not bond porous end grain as effectively as long-grain surfaces.



CLEATS WITH SCREWS are strips of timber positioned to support a shelf. Securing cleats to the sides, and often to the shelf, with screws allows for some adjustment and the joint is made stronger using adhesive.

TIP Effective construction relies on the cleats being cut accurately.



BISCUIT JOINTS are reasonably strong and hide the joinery for a seamless finish. The slots for the biscuits are made using a biscuit joiner, with at least two biscuits at the end of each shelf.

TIP For a wider shelf, cut more biscuit slots for extra support.

NEW Sika Post Fix

THE **DIY ALTERNATIVE** TO INSTANT CONCRETE



- One bag can replace two 25kg bags of instant concrete
- For wood, metal or PVC posts
- Sets in just 3 minutes
- Full strength in 2 hours



- Mix in the bag
- Mixes in just 20 seconds
- Ideal hole diameter for a 100 x 100mm post is 200mm.
 No wider than 250mm
- 1/3 of post in the ground,2/3 of post above ground
- For best results, brace the post before you start



- Not for structural posts (piles, retaining walls, etc), or posts that get a lot of sideways load (clotheslines, flag poles, large gate posts, etc)
- If in doubt as to whether
 Post Fix is right for your DIY job,
 use concrete





SUSPENSION SHELVES

Join pine boards with wire rope to make shelving that borrows a design feature from bridge construction

hese floating shelves look lightweight, but they are actually very strong and are able to support as much weight as a conventional bookcase.

Wire rope stretches very little under load, allowing the shelves to utilise similar design principles to those used in suspension bridges.

Secured to battens spaced to line up with the wall studs, the shelves are separated by cleats that add strength.

The cleats are attached to the battens using brads and PVA adhesive,

with a single screw and cup washer added to each for a decorative look.

The shelves get narrower as they go up but can also be left the same width. For this project, the front lower edges were chamfered using a router, but they could be left square instead.

Cut the pine components to size using a mitresaw and the wire rope to length with heavy-duty side cutters or linesman's pliers.

Apply two coats of stain and a clear finish to the shelves, battens and cleats before assembly.

Using wire rope

To suspend these shelves, you'll need two lengths of 3.2mm stainless steel balustrade wire, which is readily available from hardware stores.

Balustrade wire can be bought by the metre, and each piece needs to be at least 2100mm long. To be on the safe side, buy 5m of wire.


The wire is threaded through the shelf holes, with adjustable stops added to both sides of each shelf to provide support. Leave a tail at the base and cut it off at the end.

Anchoring the wire rope

Thread the wire rope through the shelves, then use a 25mm Forstner bit to make recesses for $20 \times 5mm$ washers and anchor the wire. TIP Some adjustable stops have a slot so they can be secured after the wire has been threaded.



1 SECURE the top cleats 5mm from the end of the battens with adhesive and brads. Use a 4mm twist bit to drill a hole for the wire through each cleat and batten at a 45° angle.



THREAD the wire rope through the shelf holes, adding adjustable stops for both sides of each shelf as you go. Slide the stops into position against the shelves and secure with an Allen key.



3 ANCHOR the wire by drilling two recesses in each batten behind the angled holes. Loop the wire, secure with a screw and washer, then fill the recesses with epoxy adhesive.



Make the shelves



Prepare the shelves Use a 4mm twist bit to drill holes for the wire rope through each shelf, 350mm in from the ends and 25mm from the front edge. Apply masking tape to improve the visibility of the

setout marks, then position the top

shelf on the battens, 279mm in from



Assemble the unit
Secure a pair of cleats to the battens under the top shelf with
PVA adhesive and brads, then attach the next shelf to the cleats using brads. Continue attaching cleats to the battens and shelves to the cleats in order, finishing with the base cleats under the last shelf.



Reinforce the joints
Turn the shelves over and use
a try or combination square to check
all joints are 90°. Drill pilot holes to
drive screws into the shelves through
the battens. Turn the shelves right way
up to drive a screw with a cup washer
through the centre of each cleat.
TIP Thread the wire before drilling.




Mount the shelving
Cut two temporary support
blocks from scrap 90 x 45mm timber
and position the shelves against the
wall. Find the stud locations, mark
with tape and drive a screw through
the top of one batten into the wall.
Check the shelves are level, securing
the battens with three screws in each.



Tension the cables
Pull the wire rope tight using
an offcut of timber as a tensioning
lever. Use a torpedo level to check the
shelves for level, adjusting as needed.
Use an Allen key to tighten the grub
screw in each adjustable stop, locking
the stops firmly in position above
and below each of the shelves.



Add the dome nuts
Use a pair of heavy-duty side cutters or linesman's pliers to cut the wire rope to length. Leave about 5mm of wire protruding below the adjustable stop under the base shelf, then cap the cut end for safety by attaching a dome nut over it using hot-melt glue or silicone.



SHOULDA

WOULDA

COULDA

DID



FOR THE DOER





Readers' projects

Be inspired by the work of these DIYers, from building a bed to designing a watertight letterbox





Fold-up workbench

Handyman reader Brent Adcock crafted an impressive foldaway workbench for next to nothing by salvaging materials discarded from building sites for his project.

He used boards left over from roof construction to build the main frame, with the backing of the bench made from salvaged flooring materials.

The benchtop and doors are framed with roofing batten offcuts, while the plywood used for the doors and work surface were recycled from a discarded packing crate.

For the legs, Brent used dressed all round (DAR) timber that had been concrete formwork in a past life.

Even the offcuts weren't wasted, as he transformed the scraps into a rolling box for storing his power tools.









Deluxe mailbox

Subscriber Rob Middenway needed a new letterbox that would be watertight in rainstorms and also big enough to fit his copy of Handyman. He settled on a rectangular design made out of exterior ply, trimmed with offcuts of Tasmanian oak, and featuring a sloping mini orb roof. A plastic chopping board was used for the floor, with the opening acting as a drain. It was also covered in fly mesh to keep out creepy-crawlies. The mail slot is 25mm high and the width of the box, with a 30mm wide sloping aluminium strip at the front to Brass hinges and screws were used to secure the top. drain water.

The house numbers were cut from scraps of timber.







With Tool Blox, the clever new storage system from Ryobi, you can assemble new units as the need arises. The units lock together to create a modular system and you can even add wheels to make Tool Blox mobile.







Top table

Handyman reader Damien Ryan's girlfriend gave him the difficult task of building her a 10-seater dining table in time for Christmas.

He didn't make the deadline but did deliver a beautiful piece of furniture for future family gatherings.

After consulting with his uncle, who is a cabinet-maker, Damien decided on a design. He then tried to source reclaimed oak but had to settle for a different kind of timber.

'In the end, I went with recycled blackbutt. I'm glad I did, as it was half the price and I surprised myself with the end result,' he says.

Transporting the 200kg of timber back home turned out to be a tricky task and resulted in a permanent bend in the roof rack of the car.

Damien used old power poles to make the table legs and filled any holes or cracks with resin.

Neighbours pitched in to help him with all the heavy lifting and a removable top made it possible to carry the oiled and waxed table inside once it was completed.

The tabletop was made of recycled

boards that were edge-laminated.

Due to its weight, the frame had to

be moved into position separately.

Deckchair facelift

Handyman reader James Young was very impressed when his wife Hwaja transformed some old deckchairs into a colourful outdoor setting.

'The chairs were probably about 10 years old and the canvas webbing had taken a real beating after we took on a chewy dog,' he says.

The kwila frames were still in good condition, so Hwaja stripped, sanded and oiled them. She made new seat slats using leftover kwila decking.

She then bought foam rubber swabs and bright, patterned outdoor material and made the cushions and the matching backrests.

CASH FOR DIY

We love to share what our readers are working on, whether it's building a deck, revamping a room, landscaping the yard or making furniture. No project is too big or too small, and the more unusual the better.

Send us photos of your DIY project for your chance to win \$300 and have it published in



Timber planter

Build a self-watering raised bed from treated pine to grow salad greens

veryone loves to grow fresh salad greens, tomatoes and herbs. But backyard crops need regular water to thrive. Too much or too little can result in problems like rot, wilt and split fruit.

A weekend away can be enough to kill off a thriving vegie patch if there's no-one around to do the watering.

To avoid the problem of withered crops, build these self-watering timber planters and use them to grow edibles.

Not only do they look good, but they also keep animals at bay and you can leave them for weeks on end without having to worry about water.

How they work

These self-watering planters are also called sub-irrigated planters, or SIPS, because they allow the plants to sip water whenever they want.

Built as a box with posts and a floor attached to joists, the timber used is H3 treated pine, as it's long lasting for outdoor use in exposed situations above ground.

Cut lengths of 70 x 35mm timber in half using a circular saw and fence guide to make the posts.

When the box is ready, add a pond liner to retain water, then position the socked agricultural pipe and fill with soil mix. The secret to the success of these raised beds lies in the use of the socked agricultural pipe.

Once you fill the agricultural pipe reservoirs, they allow air to circulate and water to wick up to the roots of the plants whenever needed.

Watering plants from below means the roots stay moist and there's less evaporation, so you don't need to water as much.

TIP The clear plastic tube allows any overflow water to drain away.

Garden saver Y

Here are the top reasons to build a planter box for growing edibles.

- 1 It saves your back and knees.
- 2 You'll have fewer weeds.
- 3 The simple sub-irrigation system saves water.
- 4 Have fresh food year-round.
- 5 You can create the soil mix.
- 6 Crops are safer from animals.
- 7 It can go in a yard or on a deck.





W Build the planter



1 Build the box ends
Position the end boards on
a level workbench, aligning them
with the corner to keep the assembly
square. Lay three posts across the
boards, one on each end and one in
the centre, securing each post with
two screws into each board.



Make the box sides
Position and clamp the side boards on a level workbench, aligning them with the corner to keep the assembly square. Mark the post locations at 600 and 1200mm from one end.
Position and secure each post with two screws into each board.



Assemble the box
Stand up the ends and sides on
a level surface and align the corners,
positioning the ends in between the
sides. Clamp each corner and measure
the diagonals to check for square,
then secure the corner posts to the
sides using screws.



Mark the joists

Cut a timber block to 340mm long to use as a flooring depth guide. Position the block against the side of each post inside the box and mark the top of each joist and floor cleat on the sides of the posts using a carpenter's pencil.



Secure the floor
Attach the floor cleats to the end posts then secure the joists to the side posts using screws. Position the floor boards hard against the posts and mark the notches to be cut out with a jigsaw. Lay the flooring and secure to the joists with decking screws.



Attach the pond liner

Lay the pond liner inside the box, smoothing it across the floor. Fold the liner neatly at the corners and secure it around the inside top of the box using staples. Trim off any excess liner flush with the top of the box using scissors or a utility knife.




Add the agricultural pipe
Secure the capping with screws,
then evenly space three lengths of
agricultural pipe in the box. Wedge
the ends tightly against the box and
pack soil mix around the pipes to keep
them straight. Cut a hole at one end of
an outside pipe for the PVC filler tube.



Prill a 12mm diameter hole in the end of the planter box opposite the filler tube just above the height of the agricultural pipe. Cut a hole in the top of the pipe next to the box hole and position 12mm tubing from the agricultural pipe to the drainage hole.



Pill with soil and plants
Blend soil in a wheelbarrow to
make a lightweight mix. Shovel the
soil into the planter, finishing 25mm
below the capping, then fill the pipes
with water until it overflows. Add
the plants and mulch, giving the soil
surface an initial water.





Plant a herb pot


Turn a terracotta strawberry planter into a miniature edible garden for a patio

strawberry planters are tall containers with holes around the sides that feature protruding cups to support the plants.

They're ideal for a selection of culinary herbs, as trailing varieties can be planted in the side holes and plants with a more compact habit can be grown in the top of the pot.

But while these tall planters make growing and harvesting herbs easy, water can be distributed unevenly, resulting in some plants drying out and others becoming waterlogged.

To keep herbs in a strawberry pot well hydrated, simply include a central core of fine gravel at planting time to help improve drainage.



Plant the herbs Add trailing varieties to the side holes of the pot, pushing the herbs through from the inside and firming the potting mix around them. Work your way up, adding plants and potting mix until you reach the top.

What you need

- Strawberry pot
- PVC pipe or cardboard tube
- Vegetable and herb potting mix
- Assorted herbs
- Gravel or small stones
- Liquid seaweed solution



Prepare the pot

Position an offcut of PVC pipe
or a long cardboard tube in the centre
of the strawberry pot. Hold the pipe
steady on the base of the pot, then
fill around it with potting mix as far
as the first planting holes.




Fill the pipe with gravel to the level of the potting mix, then ease out the pipe, leaving the core of gravel behind. Make planting holes to add herbs to the top of the pot, watering in well with seaweed solution.



Handyman BUYER'S GUIDE

Take the DIY option for your home improvement projects by choosing the best tools and equipment from our market round-up





Philips bathroom lighting



Inspired by the beauty of water, the Philips Aquafit collection turns your bathroom into a rejuvenating experience.

You'll find bright task and general lighting imbued with style and functionality, protected by an anti-corrosive layer and coated with elegant finishes.

The range is specifically designed to be water-resistant in a wet and humid environment, without compromising on brightness or style. It is made from premium materials with high care for aesthetics, details and forms, and follows the most stringent international safety standards.



PHILIPS









Handyman BUYER'S GUIDE









What's on this April

Easter fun for everyone

Easter Family Fun Night – Wednesday 1st April, 6-8pm

Easter Family Fun Day – Saturday 4th April, from 10am

D.I.Y. for kids and adults*

Free entertainment

- Bouncy castle 10am 2pm Easter egg hunt
- Face painter 11am 1pm
- Decorate Easter eggs
- Colouring competition
- Easter Bunny in store



D.I.Y. workshops

Our weekend workshops are packed with hints and tips that will help make your D.I.Y. jobs easier and look more professional. These cover a wide range of topics from painting to gardening and everything in between and are suitable for any level.

Workshops 11am to 1pm every Saturday and Sunday.

If you can't make a session, don't worry – we have heaps of step-by-step guides and expert help in-store, plus handy on-line videos 24/7.

Kids' D.I.Y. workshops*

Keep little hands busy on the weekend with our special kids' craft workshops. They'll get a real buzz out of learning to make all sorts of things and will enjoy taking their projects home.

Workshops from 10am every Saturday and Sunday.



^{*}Bookings essential, please contact your local Bunnings Warehouse to register.





CALL 0800 449 284 WEEKDAYS (LOCAL CALL COSTS)

Open to residents of Australia and New Zealand aged 18 years or over. April Countdown To Cash monthly draw opens 01/04/15 and closes 30/04/15. Prize draw held at Reader's Digest, 80 Bay Street, Ultimo NSW 2007 at 10:30am, on 07/05/15. Winners of prizes valued at over \$250 (except those who have indicated otherwise) will be published in The Australian on 18/01/16. All winners will be published at www.readersdigest.com.au and www.readersdigest.co.nz from the business day following the prize draw. Promoter: Reader's Digest (Australia) Pty Ltd, (ABN 81000565471), 80 Bay Street, Ultimo, NSW. NSW LTPS/14/4789, VIC 14/4789, ACT TP14/02655, SA T14/1391. See www.readersdigest.com.au or www.readersdigest.co.nz for full Terms and Conditions.







Test the soil pH

The majority of vegetables like a soil with a pH of about 6.5. And as soil has a tendency to slowly become acidic through fertilising, it is always a good idea to test it every couple of years.

Checking soil pH is easy with a testing kit. If it is too acidic you can rectify it with dolomite, garden lime or a liquid lime.

Make sure you follow the directions on the packet.

Gardener's Mate Soil pH Testing Kit, \$19. horticom.co.nz



5 Water the bed

Give the bed a good watering at least a day before you plant.

This will help the manure and compost to break down and settle prior to you planting seeds or seedlings.

6 Spread with mulch

Adding a mulch, such as sugar cane, lucerne hay or pea straw, conserves moisture by reducing evaporation, prevents weed growth by restricting light and modifies the temperature of the soil by cooling or warming it.

As the mulch breaks down, it adds structure to the soil by supplying it with beneficial organic matter.

4 Condition the soil

Before planting, the soil will need conditioning with mushroom compost, or cow or chicken manure.

Dig the compost or manure lightly into the soil, then rake it, making sure it is crumbly, level and smooth. It will eventually break down, supplying the soil with beneficial organic matter.

Conditioners also encourage earthworms, which break down root mats and open up tunnels for oxygen and water to penetrate the soil.

The plant roots take nutrition from the nitrate-rich mucus that coats these tunnels.

Compost is free and makes a great conditioner, as it helps to regenerate the soil and increases the water-holding capacity by at least 30% as well.

And by recycling organic waste, you're keeping it out of landfill.

Seaweed products are also soil conditioners. Often mistaken

for a fertiliser, liquid seaweed promotes growth of beneficial micro-organisms in the soil. This in turn boosts plant health.



Yates Nature's Way Seaweed Booster, \$19 for 500ml. yates.co.nz







Sow the seeds

There is a greater variety of vegies to choose from if you grow them from seed. It's also less expensive, as a packet of 50-100 seeds costs the same as a punnet of 6-12 seedlings.

If you seal and store the packet, you'll have about three years' supply.

Certain vegetables grow better from seed, planted directly where they are to grow, rather than from transplanted seedlings.

Direct-sow broad beans, radish, silverbeet, peas, Asian greens, spinach, parsnip, beetroot and carrot.

You can buy propagating sets to get your seeds off to a good start,

but an even cheaper alternative is to re-use seedling punnets as a DIY propagator or mini greenhouse.

Place plastic wrap or a clear plastic freezer bag over the seed container, then seal it. Remove the plastic when the seeds have germinated.

Cardboard egg cartons make great punnets for large seeds. Fill them with seed-raising mix and plant a seed in each section. When they've germinated, cut out the individual sections and plant them in the ground.


The cardboard will soon break down in the soil and your seedlings won't suffer transplant shock.

Seed tapes, which are strips of soft paper containing evenly spaced seeds, are easy to use and effective. You simply lay the tape in the ground, cover it with soil, then water it.

TIP Water transplanted seedlings with a seaweed concentrate to help prevent transplant shock.



Romberg Bollerbloom Fibre Seedling Pots, \$6 for 36-pack. tuigarden.co.nz



Red poppies could possibly be the easiest plant to grow, even if you've never grown flowers from seed before and this is your first try.

They are brilliant in a massed display in the garden or in pots, and they flower for a long period.

All you need is sun, protection from heavy winds, and a good quality, free-draining soil or potting mix.

Simply sow the seeds where you want them to grow, lightly cover with soil or potting mix and keep the area moist until germination.

If you like, you can raise them in seed trays and transplant them once they are well established.

As your poppies grow, keep them well fed with regular applications of a liquid fertiliser such as Yates Thrive Roses & Flowers Liquid Plant Food and Seasol seaweed concentrate.

As flowers finish, pinch them off to encourage more

blooms and you'll enjoy an extended display.

Yates Flanders Red Poppy Seeds, about \$4. yates.co.nz







Anzac origins

In early 1915, as the joint units of troops from New Zealand and Australia were being mustered in Egypt prior to the fateful Gallipoli landings, telegraphic signalmen found a convenient way to describe them.

They created an acronym that would end up becoming one of the most powerful and emotive words in the lexicon of our nations, ANZAC.

Soon after, on 25 April 1915, the initial landing at Gallipoli, this term, replacing the clumsy A and NZ Army Corps, was to become an anchor point for everything that these still young nations stood for.

The Anzac legacy was borne from the blood of the fallen and those who survived the horrors of the ill-fated, eight-month battle for Gallipoli.

Since 1916, 25 April has officially been declared as Anzac Day, and this month marks 100 years since the landing at what is now officially known as Anzac Cove in Turkey.

If you were to ask a Kiwi what the emblems of Anzac are they'd likely list a couple of things, after mateship and the strains of the *Last Post* that is.

The iconic lemon squeezer hat is one of the most distinctive images. The red poppy has also increasingly become a stark symbol.

Why the red poppy?

One of the first plants to pop up in the battlefields of France and Belgium during World War I, the red poppy is also not surprisingly known as the Flanders poppy.

The sight of the red flower moved soldier John McCrae to compose *In Flanders Fields*, a poem still widely known today.

In turn, humanitarian Moina Michael was inspired by the poem to always wear a red silk poppy in remembrance of those killed. This symbolic act spread, and soon

.....



the Allied nations adopted the poppy as the commemorative flower for Armistice Day.

By 1940, New Zealand World War II troops were using poppies for remembrance on Anzac Day.

New Zealanders today are well used to volunteers selling poppies on streets throughout the country for the annual Poppy Day appeal.



Grow Asian greens

Create a stir with homegrown leafy vegies full of exotic flavour

WORDS CHERYL MADDOCKS

rom Chinese and Vietnamese to Thai and Malaysian, Kiwis love Asian food. Whether it's a stir-fry at home or going out for sushi or yum cha, we just can't get enough.

And the good news for Asian food buffs is that the greens they love to eat, like bok choy, tatsoi and Chinese broccoli or cabbage, are easy to grow.

Plant seeds now and you'll have an organic stir-fry garden in weeks. If space is limited, you can also grow them in pots in a sunny position.

The flowers of all Asian greens are edible and make pretty garnishes.

Not only are they easy to grow, fast to crop and tasty, these greens are good for your health. Rich in folate, vitamins C and K, betacarotene, potassium, magnesium and calcium, they're also low in kilojoules.

Asian greens belong to the Brassicaceae family, along with broccoli, Brussels sprouts and kale.

All members of this plant family, according to considerable research, are reputed to prevent cancer and are potentially anti-inflammatory.

TIP Grow Yates Asian Stir Fry Mix to add to oriental-style salads.





What to grow ▼



BOK CHOY

A fast-growing Asian green with tender and crunchy pale green or white stalks, bok choy is also called Chinese white cabbage and pak choi. Pick it while young or wait about six weeks for it to mature. USE in noodle dishes, soups and stir-fries. Add young leaves to salads or steam whole and serve with oyster sauce and sesame oil.



TATS01

The deep-green leaves of tatsoi, or Chinese flat green cabbage, have a slightly nutty flavour. To pick continuously, remove the outside leaves from the rosette separately. USE the young leaves in salads to add crunch. Steam the leaves and stalks and season with soy sauce and garlic. Lightly cook in stir-fries or add to soups at the last moment.



CHOY SUM

This popular Asian green, also called choi-san and Chinese soup green, has large leaves and delicate tasting stems. Harvest while young or allow it to mature. You can eat the entire plant, including the small yellow flowers. **USE** the stems and leaves in soups. Steam and serve as a side dish or add it to stir-fries.



CHINESE BROCCOLI

Known as Chinese kale, kai lan and gai lan, this green produces much smaller flower rosettes than the common broccoli. It is harvested about nine weeks after sowing, just before the flowers start to open. USE the whole plant, including the stem, leaves and flowers. Add to stir-fries, or steam and serve with soy sauce and fried garlic as a side.




CHINESE CABBAGE

Also called wong bok and nappa cabbage, this variety forms a densely packed head of fine textured and crinkly leaves that are blanched in the centre. There are varieties that are ready for harvest in 10 weeks. USE its sweet, delicate tasting leaves as a wrap or base for steaming fish, in coleslaw and Asian salads, or add at the end to soups and stir-fries.



MUSTARD GREENS

Mizuna, or Japanese mustard, is a milder-flavoured variety while mibuna is slightly stronger. The large-leafed red mustard is hot, especially the older leaves. Treat them as a cut-and-come-again crop, picking the outer leaves first. USE the young leaves to give tang to Asian salads. Put barbecued fish on a bed of raw mustard leaves.



Sowing seeds

Asian greens grow very easily from seed and transplanted seedlings will often bolt to seed.

■ SOW seeds directly where they are to grow.

Choose a position that gets 5-6 hours of sun a day and seedlings will appear in just a few days.

If you sow the seeds too thickly, the seedlings can be thinned and the young leaves used in salad mixes.

- SOIL should be free draining and enriched with manure or compost before planting.
- WATER daily to keep the plants growing quickly and to prevent them bolting to seed.
- MULCH the soil with lucerne hay or pea straw to help retain moisture.
- FEED weekly with a soluble plant food when the seedlings have reached about 100mm high.
- HARVEST while the plants are young. Most Asian greens reach their full size in about eight weeks.
- CHECK for caterpillars of the cabbage white butterfly, as they eat the leaves.

Use an insecticide like Yates Nature's Way Insect & Mite Spray (yates.co.nz) or sprinkle Derris Dust on the foliage to deal with the caterpillars.

Snails and slugs will also munch on Asian greens, so use beer traps or environmentally friendly snail bait.

Seasol PowerFeed For Vegies, \$13 for 600ml. seasol.co.nz





Taking action for animals

Each year SPCA Auckland helps more than 15,000 sick, injured and abandoned animals. With no funding from the government we rely on supporters in the community to help us do our work.

SPCA Guardians are a special group of regular monthly donors who help us take action for animals in five key ways:



👺 Rescue

Rehabilitate

Shelter and rehome

Seek justice

For more information about becoming an SPCA Guardian, please visit our website www.spca.org.nz email quardians@spca.org.nz or phone og 256 7307



MAKITA'S NEW DMRIOGE JOBSITE RADIO WITH BLUETOOTH



THE ULTIME ET IN EST.



High quality sound from 89mm speaker Dust and shower proof with elastomer bumpers and swivel handle.

10 to 20 metre range in good radio conditions

AUX-in jack can be used as stereo —

speaker





Compatible with 7.2V, 10.8, 14.4V and 18V Li-ion batteries. Comes with AC adapter.

WWW.MAKITA.CO.NZ

Trakita

AVAILABLE FROM YOUR LOCAL MAKITA DEALERS

⊗MAKHM080



NO DRIPPING

Kärcher's battery-powered window vacuum

Your time is too valuable to waste on cleaning windows. Kärcher's WV 50 Plus window vacuum cleans your windows so they are streak-free in no time. It simply vacuums the water from the window after cleaning - without any dirty water dripping. This window cleaning system, which is unique the world over, ensures streak-free cleanliness in a jiffy. It's quicker with Kärcher.

WWW.karcher.co.nz

0800 KARCHER



makes a difference